



02. QR Ultimaker 2

The Bondtech QR Extruder for 2.85/3.0 mm filament for use as a Bowden or a direct Extruder. Standard "Groove Mount", can be used with E3D hotends or similar

Written By: Joel Lennartsson



INTRODUCTION

Bondtech's Product Page

This Guide relates to this QR for Ultimaker 2 Upgrade Kit: <https://www.bondtech.se/en/product/qr-ul...>

Introduction

The Bondtech QR Extruder for 2.85/3.0 mm filament for use as a Bowden or a direct Extruder. The extruder uses high-quality industrial pneumatic push-fit fittings for attaching the bowden tube. It has also thread inserts to have a strong connection of the fasteners. The mount for the hotend is a standard "Groove Mount" that makes it possible to use the E3D hotends aswell as others following this standard.

This new revolution in design utilizes the Bondtech Dual Drive Technology with precision CNC-manufactured parts which gives the markets best performance and reliability.

Compatibility

The upgrade is compatible with the following machines:

Ultimaker 2 Go

Ultimaker 2

Ultimaker 2 Extended

Ultimaker 2+

Ultimaker 2 Extended +

You will need :

Cura version 15.04.06 to upload the firmware.

Later versions do not upload custom firmwares to the printer.

A compiled version to run on Windows is available here:

<https://www.bondtech.se/downloads/firmwa...>

TOOLS:

- [2.5mm Hex Key](#) (1)
 - [3.0mm Hex Key](#) (1)
-

